Permit #F00160118

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Permit No: F00160118 **Type of Permit:** FILMING **Release Date:** 12/13/2019

Production Company	SMARTINI MEDIA CORP
Insured Company Name	SMARTINI MEDIA CORP
Contact Phone No. 1	310-980-9512
Contact Phone No. 2	
Fax	
Address	50 BATTERY PL NEW YORK, New York 10280
Production Title	BITTERSWEET
Type of Production	Feature

Producer	Gabriela Kulaif
Director	Steven Martini
1st AD	Anthony Bouzada
Production Manager	Aline Kras
FilmL.A. Coordinator	Melissa Levine
Location Manager	Gabriela Kulaif
Primary Phone	Mobile - 310-980-9512
Secondary Phone	
Location Assistant	Aline Kras
Primary Phone	Mobile - 310-903-0131
Secondary Phone	

Fees

Posting 300	$69.00
Notification Charge	$865.00
FILMLA NON-REFUNDABLE FILM APPLICATION FEE	$699.00
LA CITY FIRE DEPARTMENT SPOT CHECK SURCHARGE	$85.00
CULVER CITY POLICE OFFICER DAILY FEE (WEEKDAYS)	$630.00
CULVER CITY FILMING DAILY USE FEE	$350.00
CULVER CITY APPLICATION FEE	$165.00
CULVER CITY FIRE DEPT SPOT CHECK FEE	$95.00

Total Permit Fee	$2,958.00
Number of Locations	5

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Location 1 of 5

Permit Number F00160118
Production Company SMARTINI MEDIA CORP
Insured Company SMARTINI MEDIA CORP
Production Title BITTERSWEET

Location Manager Gabriela Kulaif
Primary Phone Mobile - 310-980-9512
Secondary Phone

Location Address 3838 S Centinela Ave, Los Angeles, CA, 90066

Location Type Event Venue

Film Dates 12/19/2019 - 12/19/2019 07:00 - 15:00 1 day

Open or Closed to the Public Open

Generic Conditions **THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.**
*LA CITY AND/OR LA COUNTY FIRE CHECKLIST ATTACHED TO FINAL PERMIT. THE PERMITTEE IS RESPONSIBLE FOR COMPLETING CHECKLIST PRIOR TO FILMING ACTIVITY AT THIS LOCATION. NON COMPLIANCE MAY RESULT IN ASSIGNMENT OF A FIRE OFFICER.
All vehicles must be parked on private property
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with vehicular or pedestrian traffic

Equipment on Location

Type	Quantity
Cast/Crew vehicles	4
Fire Extinguisher (2A10BC Minimum Rating)	2
Vans	2

Personnel on Location

Type	Quantity
Cast	8
Crew	19
Spot Check	1

Filming Activities Camera on sticks; Equipment on property; Handheld equipment; Interior Dialogue; filming in room that will be closed to the public;

Jurisdiction **Political:** Los Angeles City - Council District 11 **Police:** Los Angeles Police Department **Fire:** Los Angeles City Department

Thomas Guide **Page:** 672 **Grid:** C4

Approvals LOS ANGELES CITY POLICE DEPARTMENT Gabriel Aleman

Coordinator Note spot check approved
-OWENS

Parking

Base Camp
Location Type : Filming Location

Crew Parking
Location Type : Other Location
3860 S Centinela Ave, Los Angeles, CA, 90066

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number F00160118
Production Company SMARTINI MEDIA CORP
Insured Company SMARTINI MEDIA CORP
Production Title BITTERSWEET

Location Manager Gabriela Kulaif
Primary Phone Mobile - 310-980-9512
Secondary Phone

Location Address 2102 Granville Ave, Los Angeles, CA, 90025

Location Type Business

Film Dates 12/15/2019 - 12/15/2019 08:00 - 11:30 1 day

Open or Closed to the Public Open

Generic Conditions **THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.**
*LA CITY AND/OR LA COUNTY FIRE CHECKLIST ATTACHED TO FINAL PERMIT. THE PERMITTEE IS RESPONSIBLE FOR COMPLETING CHECKLIST PRIOR TO FILMING ACTIVITY AT THIS LOCATION. NON COMPLIANCE MAY RESULT IN ASSIGNMENT OF A FIRE OFFICER.
All vehicles must be parked on private property
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with vehicular or pedestrian traffic

Equipment on Location

Type	Quantity
Cast/Crew vehicles	4
Fire Extinguisher (2A10BC Minimum Rating)	2
Vans	2

Personnel on Location

Type	Quantity
Cast	2
Crew	10
Spot Check	1

Filming Activities Camera on sticks; Equipment on property; Equipment on sidewalk only.; Exterior Dialogue; Exterior establishing shots; Handheld equipment; Interior and exterior dialogue; Interior Dialogue;

Jurisdiction **Political:** Los Angeles City - Council District 11 **Police:** Los Angeles Police **Fire:** Los Angeles City Department

Thomas Guide **Page:** 632 **Grid:** A6

Approvals LOS ANGELES CITY POLICE DEPARTMENT Gabriel Aleman

Coordinator Note spot check approved
-OWENS

Parking

Base Camp
Location Type : Filming Location

Crew Parking
Location Type : Filming Location

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number F00160118
Production Company SMARTINI MEDIA CORP
Insured Company SMARTINI MEDIA CORP
Production Title BITTERSWEET

Location Manager Gabriela Kulaif
Primary Phone Mobile - 310-980-9512
Secondary Phone

Location Address 3993 Sawtelle Blvd, Culver City, CA 90230

Location Type Market

Film Dates 12/16/2019 - 12/16/2019 12:30 - 15:30 1 day

Open or Closed to the Public Open

Generic Conditions **THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.**
All vehicles must be parked on private property
CULVER CITY SPOT CHECK- The permittee is responsible for completing the attached Culver City Fire Department Spot Check Form prior to filming activity at this location. The permittee must keep the completed form onsite at all times while filming.
CULVER CITY: Must maintain local/emergency access
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with vehicular or pedestrian traffic

Please see attached document SpotCheck-CCFD.pdf

Equipment on Location

Type	Quantity
Cast/Crew vehicles	4
Fire Extinguisher (2A10BC Minimum Rating)	2
Vans	2

Personnel on Location

Type	Quantity
Cast	1
Crew	10
Culver City Police Officer	1
Culver City Spot Check	1

Filming Activities Camera on sticks; Equipment on sidewalk only.; Exterior Dialogue; Exterior establishing shots; Handheld equipment;

Jurisdiction **Political:** Culver City **Police:** Culver City Police Department **Fire:** Culver City Fire Department

Thomas Guide **Page:** 672 **Grid:** D3

Approvals CULVER CITY FIRE DEPARTMENT — Steve Poelstra
CULVER CITY POLICE DEPARTMENT — Sergeant Brandon Vanscoy

Parking
Base Camp Location Type : Filming Location
Crew Parking Location Type : Other Location — 11284 Washington Pl, Culver City, CA, 90230

Posting "No Parking" signs N/S WASHINGTON, 20' DIRECTLY IN FRONT OF 11305 WASHINGTON PL, LOS ANGELES, CA 90066
*** POSTING CANCELLED ***

Approximate Footage County Parking **Log Number** CANCELLED

Date(s) 12/16/2019 to 12/16/2019 **Time(s)** 09:00 to 11:30

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number F00160118
Production Company SMARTINI MEDIA CORP
Insured Company SMARTINI MEDIA CORP
Production Title BITTERSWEET

Location Manager Gabriela Kulaif
Primary Phone Mobile - 310-980-9512
Secondary Phone

Location Address 4320 Sepulveda Blvd, Culver City, CA, 90230

Location Type Business

Film Dates 12/16/2019 - 12/16/2019 08:00 - 11:00 1 day

Open or Closed to the Public Closed

Generic Conditions **THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.**
*Certain service and personnel fees required by jurisdictional agencies are not collected by FilmL.A. Any such fees must be paid directly to the appropriate agency, and a separate invoice will be provided to the permittee.
All vehicles must be parked on private property
CULVER CITY SPOT CHECK- The permittee is responsible for completing the attached Culver City Fire Department Spot Check Form prior to filming activity at this location. The permittee must keep the completed form onsite at all times while filming.
CULVER CITY: Must maintain local/emergency access
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with vehicular or pedestrian traffic

Please see attached document SpotCheck-CCFD.pdf

Equipment on Location

Type	Quantity
Cast/Crew vehicles	4
Fire Extinguisher (2A10BC Minimum Rating)	2
Vans	2

Personnel on Location

Type	Quantity
Cast	1
Crew	11
Culver City Police Officer	1
Culver City Spot Check	1

Filming Activities Camera on sticks; Equipment on property; Equipment on sidewalk only.; Exterior Dialogue; Exterior establishing shots; Exterior motion without sound; Handheld equipment; Interior and exterior dialogue; Interior Dialogue; Interior motion without sound;

Jurisdiction **Political:** Culver City **Police:** Culver City Police Department **Fire:** Culver City Fire Department

Approvals CULVER CITY FIRE DEPARTMENT — Steve Poelstra
CULVER CITY POLICE DEPARTMENT — Sergeant Brandon Vanscoy

Parking
Base Camp
Location Type : Filming Location
Crew Parking
Location Type : Filming Location

Posting "No Parking" signs NOT NEEDED ANYMORE.

Approximate Footage 0 - 300 **Log Number** CULVER CITY

Date(s) 12/23/2019 to 12/23/2019 **Time(s)** 08:00 to 13:00

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Location 5 of 5

Permit Number F00160118
Production Company SMARTINI MEDIA CORP
Insured Company SMARTINI MEDIA CORP
Production Title BITTERSWEET

Location Manager Gabriela Kulaif
Primary Phone Mobile - 310-980-9512
Secondary Phone

Location Address 12256 Victoria Ave, Alley, Los Angeles, CA, Los Angeles, CA, 90066

Location Type Alley

Film Dates 12/15/2019 - 12/15/2019 12:30 - 20:30 1 day

Open or Closed to the Public Open

Generic Conditions **THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.**
All vehicles must be parked on private property
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with vehicular or pedestrian traffic

Equipment on Location

Type	Quantity
Cast/Crew vehicles	4
Fire Extinguisher (2A10BC Minimum Rating)	2
Vans	2

Personnel on Location

Type	Quantity
Cast	5
Crew	11
Off-Duty/Retired LAPD Officer(s)	1

Filming Activities Camera on sticks; Exterior Dialogue; Exterior establishing shots; Handheld equipment;

Jurisdiction **Political:** Los Angeles City - Council District 02 **Police:** Los Angeles Police Department **Fire:** Los Angeles City

Thomas Guide Page: 532 **Grid:** F6

Approvals LOS ANGELES CITY POLICE DEPARTMENT Vincent Aguirre

Parking

Base Camp
Location Type : Filming Location

Crew Parking
Location Type : Other Location
3775 Mountain View Ave, Los Angeles, CA, 90066

NOT A PERMIT

Permit #F00160118

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

JEREMY DE BIE
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete the checklist each day before the start of filming. If a "NO" is indicated on any line item below, please halt filming. Correct and document the corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for the Culver City Fire Department review.

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			
Corrective Actions Taken:				

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			
Corrective Actions Taken:				

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			
Corrective Actions Taken:				

DRAFT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 10/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Has the vendor or site manager obtained the proper permit for all tents over 400 square feet?			
2.	Are all tents properly permitted; secured; and provided with the required life and safety equipment including "No Smoking" signs, fire extinguishers and exit signs? Does the tent fabric bear the proper flame retardant (CSFM Logo)?			
3.	No interior smoking permitted; "No Smoking" signs posted and enforced			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustibles			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT

PRINTED ON RECYCLED PAPER

Permit #F00160118

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

JEREMY DE BIE
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete the checklist each day before the start of filming. If a "NO" is indicated on any line item below, please halt filming. Correct and document the corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for the Culver City Fire Department review.

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			
Corrective Actions Taken:				

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			
Corrective Actions Taken:				

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			
Corrective Actions Taken:				

DRAFT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 10/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Has the vendor or site manager obtained the proper permit for all tents over 400 square feet?			
2.	Are all tents properly permitted; secured; and provided with the required life and safety equipment including "No Smoking" signs, fire extinguishers and exit signs? Does the tent fabric bear the proper flame retardant (CSFM Logo)?			
3.	No interior smoking permitted; "No Smoking" signs posted and enforced			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustibles			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT

PRINTED ON RECYCLED PAPER